Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309


(786) 599-1806
http://accuratetestlab.com
Lic# 2026-R-217916€

Certificate of Analysis

SS31 10mg - US

2608AFL1315.4600 | ATL-38387

PHOTO




SAMPLE INFO

Lot #	2S10-WM2607-001	Matrix	Peptide
Client	Kynvell Biolabs	Type	Powder
Received	08/10/2026	Storage Cond.	
Reported	10/06/2026	Intended Use	Research Use Only
Appearance	White powder	Labeled Content	

SUMMARY

99.65%	Pass	Pass	Confirmed
Purity	Endotoxins	Metals	Identity

CHROMATOGRAM



PEPTIDES

Complete

Date Tested: 08/11/2026

Compound	mg/unit	Status
MTP 131	8.59	Tested
Total	**8.59**	

COA-12 Peptides Rev. 2

Lise Berthe-Laurent - Laboratory Director 10/06/2026

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Powered by confident

Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
http://accuratetestlab.com
Lic# 2026-R-217916€

Certificate of Analysis

METALS — Pass

Date Tested: 08/20/2026

Compound	LOQ	Limit	PPB	Status
Arsenic	47.4	1500.0	ND	Pass
Cadmium	47.4	500.0	ND	Pass
Lead	47.4	500.0	ND	Pass
Mercury	47.4	3000.0	ND	Pass
Total			**0.0**	

ENDOTOXINS — Pass

Date Tested:

Compound	Limit	EU/mg	Status
Endotoxin	35.00	0.25	

Lise Berthe-Laurent - Laboratory Director 10/06/2026

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Powered by confident